



## COLLICARE LOGISTICS INTEGRATION GUIDE

EDIFACT

May 8, 2017

## Contents

1. EDIFACT IFTMIN S93A MESSAGE ADVISE.....	5
1.1. Introduction .....	5
1.2. Requirements.....	5
1.3. Description.....	5
1.3.1. Detailed Segment Description .....	6
1.3.2. UNA - SERVICE STRING ADVICE.....	7
1.3.3. UNB - INTERCHANGE HEADER .....	7
1.3.4. UNH - MESSAGE HEADER.....	8
1.3.5. BGM - BEGINNING OF MESSAGE.....	8
1.3.6. DTM - DATE/TIME/PERIOD .....	8
1.3.7. TSR - TRANSPORT SERVICE REQUIREMENTS.....	9
1.3.8. FTX - FREE TEXT .....	10
1.3.9. CNT - CONTROL TOTAL.....	11
1.3.10. TOD – TERMS OF DELIVERY.....	11
1.3.11. LOC - PLACE/LOCATION IDENTIFICATION .....	12
1.3.12. RFF – REFERENCE .....	12
1.3.13. CPI – CHARGE PAYMENT INSTRUCTIONS.....	13
1.3.14. NAD - NAME AND ADDRESS.....	13
1.3.15. CTA – CONTACT INFORMATION.....	14
1.3.16. COM - COMMUNICATION CONTACT.....	14
1.3.17. GID - GOODS ITEM DETAILS .....	15
1.3.18. UNT - MESSAGE TRAILER.....	17

1.3.19. UNZ – INTERCHANGE TRAILER .....	17
1.4. Example message.....	18
2. EDIFACT IFTSTA D96A Message advise .....	20
2.1. Introduction .....	20
2.2. Requirements.....	20
2.3. Description.....	20
2.3.1. Detailed Segment Description .....	21
2.3.2. UNA - SERVICE STRING ADVICE.....	21
2.3.3. UNB - INTERCHANGE HEADER .....	21
2.3.4. UNH - MESSAGE HEADER.....	22
2.3.5. BGM – BEGINNING OF MESSAGE.....	22
2.3.6. DTM - DATE/TIME/PERIOD .....	23
2.3.7. CNI – CONSIGNMENT INFORMATION.....	23
2.3.8. STS – STATUS.....	24
2.3.9. NAD – NAME AND ADDRESS .....	24
2.3.10. GID – GOODS ITEM DETAILS .....	25
2.3.11. PCI – PACKAGE IDENTIFICATION.....	25
2.3.12. UNT – MESSAGE TRAILER.....	26
2.3.13. UNZ – INTERCHANGE TRAILER .....	26
2.4. Example message.....	27
3. Label.....	28
3.1. Part 1: Fra/From.....	28
3.2. Part 2: Til/To.....	28

3.3.	Part 3: Consignment information .....	28
3.4.	Part 4: Barcodes – consignment number and package id (SSCC) .....	29
3.4.2.	Example label.....	32

## 1. EDIFACT IFTMIN S93A MESSAGE ADVISE

### 1.1. Introduction

This document provides a description of the ColliCare Logistics standard EDIFACT IFTMIN S93A message to be used in Electronic Data Interchange (EDI) between Collicare Logistics and other trading partners involved in administration, commerce and transport. This is one of the preferred defined standards for booking of both domestic and international transport shipments.

IFTMIN is a standard message from one party issuing a transport booking / consignment instructions to the party arranging the transport service. The transport booking and service provided will be under the conditions agreed between the involved parties.

### 1.2. Requirements

The message will be provided from booking party to agreed destination, most likely an FTP account (SFTP is also supported). The message should contain a minimum of information needed to perform the transportation within the agreed service level without need of manual adding information. Sender of the message is responsible for making sure needed information is provided in the message.

### 1.3. Description

The following contains a description of the EDIFACT IFTMIN S93A segments. The detail includes EDIFACT segment descriptions with remarks pertaining to the specific requirements for the interchange with the transporter.

The description in this integration guide will walk you through a basic ColliCare Logistics AS IFTMIN S93A standard. If there are elements not covered in the guide that is applicable and necessary for the integration please contact nominated contact person and EDI contact at ColliCare Logistics in order to sort the challenge on hand.

### 1.3.1. Detailed Segment Description

The following is a description of the Groups, Segments and Data Elements as they are in use within the IFTMIN Message.

#### Explanation of the codes:

- \* **M** Mandatory: mandatory according to the International Edifact Standard
- \* **R** Required: segments required by ColliCare demands in both domestic and international shipments
- \* **RI** International: segments required by ColliCare in international shipments
- \* **C** Conditional: always clarified by 'Note'
- \* **O** Optional
- \* **N** Not Used

### 1.3.2. UNA - SERVICE STRING ADVICE

SEGMENT	DESCRIPTION								
INDICATOR	MIN	MAX	NOTE	EXAMPLE					
M	1	1	SERVICE STRING ADVICE – DELEMITERS	UNA:+.? '					
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX	
UNA1	Component data element separator			M	AN	0-1		:	Value: Next available number
UNA2	Data element separator			M	AN	0-1		+	
UNA3	Decimal notation			M	AN	0-1		.	
UNA4	Release indicator			M	AN	0-1		?	
UNA5	Reserved for future use			M	AN	0-1			[space]
UNA6	Segment terminator			M	AN	0-1		'	

### 1.3.3. UNB - INTERCHANGE HEADER

SEGMENT	DESCRIPTION								
INDICATOR	MIN	MAX	NOTE	EXAMPLE					
M	1	1	INTERCHANGE HEADER	UNB+UNOC:3+SENDER:91+980953343:91+160930:1248+2810921'					
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX	
S001	SYNTAX IDENTIFIER			M					
⇒ 0001	Syntax Identifier			M	AN	0-4			UNOC
⇒ 0002	Syntax Version number			M	AN	0-1			3
S002	INTERCHANGE SENDER			M					
⇒ 0004	Sender identification			M	AN	0-35			SENDER
⇒ 0007	Partner identification code qualf			M	AN	0-4			Sender EDI-ID (Org. No)
S003	INTERCHANGE RECIPIENT			M					
⇒ 0010	Recipient identification			M	AN	0-35			980953343
⇒ 0007	Partner identification code qualf			M	AN	0-4			Receiver EDI-ID/CC Org.No
S004	DATETIME OF PREPARATION			M					
⇒ 0017	Date of preparation			M	AN	0-6			160930
⇒ 0019	Time of preparation			M	AN	0-4			YYMMDD
0020	INTERCHANGE CONTROL REFERENCE			M	AN	0-14			HHmm
									Unique ref for interchange

### 1.3.4. UNH - MESSAGE HEADER

SEGMENT	DESCRIPTION									
INDICATOR	MIN	MAX	NOTE			EXAMPLE				
M	1	1	MESSAGE HEADER					UNH+1+IFTMIN:S:93A:UN:NOCC16'		
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX	VALUE	NOTE
0062	MESSAGE REFERENCE NUMBER			M	AN	0-14			1	Unique reference for the message
S009	MESSAGE IDENTIFIER			M			1	1		
→ 0065	MESSAGE TYPE IDENTIFIER			M	AN	0-6			IFTMIN	
→ 0052	VERSION NUMBER OF A MESSAGE TYPE			M	AN	0-3			S	
→ 0054	MESSAGE TYPE RELEASE NUMBER			M	AN	0-3			93A	
→ 0051	CONTROLLING AGENCY			M	AN	0-2			UN	
→ 0057	ASSOCIATION ASSIGNED CODE			C	AN	0-6			NOCC16	

### 1.3.5. BGM - BEGINNING OF MESSAGE

SEGMENT	DESCRIPTION									
INDICATOR	MIN	MAX	NOTE			EXAMPLE				
M	1	1	The unique identification of the message					BGM+700+70705056093437491+9'		
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX	VALUE	NOTE
C002	DOCUMENT/MESSAGE NAME			R			0	1		
→ 1001	DOCUMENT/MESSAGE NAME, CODED			R	AN	0-3			700	700 = Waybill /consignment number
1004	DOCUMENT/MESSAGE NUMBER			R	AN	0-35			70705056093437491	File reference number
1225	MESSAGE FUNCTION CODE			R	AN	0-3			9	

### 1.3.6. DTM - DATE/TIME/PERIOD

SEGMENT	DESCRIPTION									
INDICATOR	MIN	MAX	NOTE			EXAMPLE				
DTM	DATE/TIME/PERIOD									
R	3	10	DATE AND TIME			DTM+137:20160930:102' DTM+10:20160930:102' DTM+2:20161003:102'				
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX	VALUE	NOTE

C507	DATE/TIME/PERIOD	M			1	1		
→ 2005	DATE/TIME/PERIOD QUALIFIER	M	AN	1-3			137	137 = Message date/time 10 = Requested Shipment date/time 2 = Requested delivery date/time
→ 2380	DATE/TIME/PERIOD	M	AN	14			20160930	Date value
→ 2379	DATE/TIME/PERIOD FORMAT QUALIFIER	M	AN	3			102	204 = format YYYYMMDDHHMMSS 102 = format YYYYMMDD

### 1.3.7. TSR - TRANSPORT SERVICE REQUIREMENTS

SEGMENT	DESCRIPTION							
INDICATOR	TRANSPORT SERVICE REQUIREMENTS							
INDICATOR	MIN	MAX	NOTE	EXAMPLE				
R	1	9	TRANSPORT SERVICE REQUIREMENTS	TSR+11+AD++DG'				
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX
C536	CONTRACT AND CARRIAGE CONDITION			R			0	1
→ 4065	CONTRACT AND CARRIAGE CONDITION, CODED			M	AN	0-3		11
C233	SERVICE			C			0	1
→ 7273	Service requirement, coded			R	AN	0-3		AD
								AD = Notification / Advisering HS = Pickup at terminal / Hente selv IB = Carry inside / Innbaering KB = Crane truck / Kranbil PL = Private delivery / Privatlevering TL = Customs warehouse / Tollager
C703	NATURE OF CARGO			C			0	1
→ 7085	Nature of cargo, coded			R	AN	0-3		DG
								DG = Dangerous goods (Farlig gods) VG = Temperature sensitive goods (Temperatur sensitivt gods)

\*Services list

Service name	Service code	Departments
Parcel (Bud/Vare)	0	All
Express (Express Bud/Vare)	1	All
Groupage domestic (Stykgods innland)	11	All
Customized distribution (Direct distribution)	16	All
Crane equipment truck (Kranbil)	18	All
Truck (Lastebil)	19	All
Haulier (Trekker)	25	All
Partloads domestic (Parti innland)	95	All
Container haulier (Container trekker)	120	All
In Night (In Night)	610	NO
Home delivery day (Hjemlevering dag)	501	NO
Home delivery night (Hjemlevering kveld)	502	NO
Home delivery weekend (Hjemlevering helg)	503	NO
Pickup point (Hentepakke)	510	NO
Pickup at terminal (hente selv)	511	NO
Mailbox (Postkasse)	512	NO
Return (Retur), (only 500 series)	520	NO
Groupage international (Stykgods utland)	20	SE
Partloads international (Parti utland)	21	SE

### 1.3.8. FTX - FREE TEXT

SEGMENT	DESCRIPTION										
FTX	FREE TEXT										
INDICATOR	MIN	MAX	NOTE			EXAMPLE					
O	0	99	FREE TEXT			FTX+SIC+++Delivery instructions'					
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX	VALUE	NOTE	
4451	TEXT SUBJECT QUALIFIER			M	AN	0-3			SIC	SIC = Instructions to carrier ICN = Information to CNEE EUR = Construction site/route	

							ZZZ = Mutual Defined
C108	TEXT LITERAL	R		0	1		
→ 4440	FREE TEXT	M	AN	0-70		Delivery instructions	
→ 4440	FREE TEXT	R	AN	0-70			

### 1.3.9. CNT - CONTROL TOTAL

SEGMENT	DESCRIPTION							
CNT	CONTROL TOTAL							
INDICATOR	MIN	MAX	NOTE	EXAMPLE				
R	3	9	CONTROL TOTAL	CNT+7:18:KGM CNT+11:4:PCE CNT+15:1.68:DMQ				
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX
C270	CONTROL			M			1	1
→ 6069	CONTROL QUALIFIER			M	AN	0-3		7
→ 6066	CONTROL VALUE			M	N	0-18		18
→ 6411	MEASURE UNIT QUALIFIER			R	AN	0-3		KGM

### 1.3.10. TOD – TERMS OF DELIVERY

SEGMENT	DESCRIPTION							
TOD	TERMS OF DELIVERY							
INDICATOR	MIN	MAX	NOTE	EXAMPLE				
RI	1	1	TERMS OF DELIVERY	TOD+6++DDP'				
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX
4055	TERMS OF DELIVERY FUNCTION, CODED			RI	AN	0-3		6
4215	TRANSPORT CHARGES METHOD OF PAYMENT, CODED			RI	AN	0-3		
C100	TERMS OF DELIVERY			RI			1	1
→ 4053	Terms of delivery, coded			RI	AN	0-3		DDP

### 1.3.11. LOC - PLACE/LOCATION IDENTIFICATION

SEGMENT	DESCRIPTION							
LOC	PLACE/LOCATION IDENTIFICATION							
INDICATOR	MIN	MAX	NOTE	EXAMPLE				
R	1	9	PLACE/LOCATION IDENTIFICATION	LOC+5+0:89::Branas				
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX
3227	PLACE/LOCATION QUALIFIER			M	AN	0-3		5
C517	LOCATION IDENTIFICATION			R		0	1	
→ 3225	PLACE/LOCATION IDENTIFICATION			R	AN	0-25		
→ 1131	CODE LIST QUALIFIER			R	AN	0-3		89
→ 3055	CODE LIST RESPONSIBLE AGENCY, CODED			R	AN	0-3		
→ 3224	PLACE/LOCATION			R	AN	0-17		Branas
								See names above (3225)

### 1.3.12. RFF – REFERENCE

SEGMENT	DESCRIPTION							
RFF	REFERENCE							
INDICATOR	MIN	MAX	NOTE	EXAMPLE				
M	1	99	REFERENCE	RFF+CU:0082118656 RFF+CR:0006583154 RFF+AAM:70705056093437491 RFF+CO:70705056093437491				
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX
C506	REFERENCE			M		1	1	
→ 1153	REFERENCE QUALIFIER			M	AN	0-3		AAM
→ 1154	REFERENCE NUMBER			R	AN	0-35		70705056093437491
								CU = Consignor's reference number CR = Customer/CNEE reference number AAM = Waybill/consignment number CO = Buyers order number

### 1.3.13. CPI – CHARGE PAYMENT INSTRUCTIONS

SEGMENT	DESCRIPTION							
CPI	CHARGE PAYMENT INSTRUCTIONS							
INDICATOR	MIN	MAX	NOTE	EXAMPLE				
RI	1	9	CHARGE PAYMENT INSTRUCTIONS	CPI+1++P'				
COMPONENT	DESCRIPTION		INDICATOR	TYPE	LEN	MIN	MAX	VALUE
C229	CHARGE CATEGORY		RI			1	1	
→ 5237	Charge category		RI	AN	0-3			1
4237	PREPAID/COLLECT INDICATOR		RI	AN	0-3			P
								1 = All Charges 2 = Additional Charges
								P = Prepaid C = Collect B = Third party to pay

### 1.3.14. NAD - NAME AND ADDRESS

SEGMENT	DESCRIPTION							
NAD	NAME AND ADDRESS							
INDICATOR	MIN	MAX	NOTE	EXAMPLE				
M	1	99	A segment to identify the party's name, address, and function.	NAD+CN+++TEST+RRGATA 1+TEST++6517+NO NAD+DP+++TEST+RRGATA 1+TEST++6517+NO NAD+CZ+99999::87++Receiver AS+receiver street 1+2060++Gardermoen+NO NAD+PW+:87++Receiver party+street name and number+Place++zip code+Country				
COMPONENT	DESCRIPTION		INDICATOR	TYPE	LEN	MIN	MAX	VALUE
3035	PARTY QUALIFIER		M	AN	0-3			CZ
								CN = Consignee DP = Delivery party CZ = Consignor PW = Despatch party
C082	PARTY IDENTIFICATION DETAILS		R			0	1	
→ 3039	PARTY ID IDENTIFICATION		M	AN	0-17			99999
→ 1131	CODE LIST QUALIFIER		R	AN	0-3			
→ 3055	CODE LIST RESPONSIBLE AGENCY, CODED		R	AN	0-3			87
C058	NAME AND ADDRESS		R			0	1	
→ 3124	NAME AND ADDRESS LINE		M	AN	0-35			
								Customer number given by ColliCare 87 = Assigned by carrier

C080	PARTY NAME	R			0	1		
→ 3036	PARTY NAME	M	AN	0-35			Receiver AS	
C059	STREET	R			0	1		
→ 3042	STREET AND NUMBER/P.O. BOX	M	AN	0-35			Receiver street 1	
→ 3042	STREET AND NUMBER/P.O. BOX	R	AN	0-35				
→ 3042	STREET AND NUMBER/P.O. BOX	R	AN	0-35				
3164	CITY NAME	R	AN	0-35			Gardermoen	
3229	COUNTRY SUB-ENTITY IDENTIFICATION	R	AN	0-9				
3251	POSTCODE IDENTIFICATION	R	AN	0-9			2060	
3207	COUNTRY, CODED	R	AN	0-3			NO	

### 1.3.15. CTA – CONTACT INFORMATION

SEGMENT	DESCRIPTION							
INDICATOR	CONTACT INFORMATION							
INDICATOR	MIN	MAX	NOTE	EXAMPLE				
M	1	9	A segment to identify a person or department within a party.	CTA+IC+:Firstname Lastname'				
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX
3139	CONTACT FUNCTION			M	AN	0-3		IC
C056	DEPARTMENT OR EMPLOYEE DETAILS			R			0	1
→ 3413	Department or employee identification			M	AN	0-17		
→ 3412	Department or employee			R	AN	0-35		Firstname Lastname

### 1.3.16. COM - COMMUNICATION CONTACT

SEGMENT	DESCRIPTION							
INDICATOR	COMMUNICATION CONTACT							
INDICATOR	MIN	MAX	NOTE	EXAMPLE				
C	1	9	A segment to identify a communication number of a person or department to whom communication should be directed.  Used in connection with "AD" in TSR-segment - Service requirement.	COM+98765432:TE'				

COMPONENT	DESCRIPTION	INDICATOR	TYPE	LEN	MIN	MAX	VALUE	NOTE
C076	COMMUNICATION CONTACT	M	AN	0-3				
C056	DEPARTMENT OR EMPLOYEE DETAILS	R			0	1		
→ 3148	Communication number	M	AN	0-25			98765432	
→ 3155	Communication channel qualifier	R	AN	0-3			TE	TE = Telephone EM = E-mail SM = SMS

### 1.3.17. GID - GOODS ITEM DETAILS

GID	Loop pr goods/packet line.									
SEGMENT	DESCRIPTION									
GID	GOODS ITEM DETAILS									
INDICATOR	MIN	MAX	NOTE		EXAMPLE					
R	1	999	GOODS ITEM DETAILS		GID+1+4:PK					
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX	VALUE	NOTE
1496	GOODS ITEM NUMBER			R	N	0-5			1	
C213	NUMBER AND TYPE OF PACKAGES			R			0	1		
→ 7224	NUMBER OF PACKAGES			M	N	0-8			4	Minimum 1
→ 7065	TYPE OF PACKAGES IDENTIFICATION			R	AN	0-7			PK	PK = Package CT = Carton PL = Pallet PI = Pipe
SEGMENT	DESCRIPTION									
FTX	FREE TEXT (sub segment of GID)									
INDICATOR	MIN	MAX	NOTE		EXAMPLE					
R	0	9	FREE TEXT		FTX+AAA+++CLOTHES					
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX	VALUE	NOTE
4451	TEXT SUBJECT QUALIFIER			M	AN	0-3			AAA	AAA = Goods description
4453	TEXT FUNCTION, CODED			R	AN	0-3				
C107	TEXT REFERENCE			R			0	1		
→ 4441	FREE TEXT, CODED			M	AN	0-3				
C108	TEXT LITERAL			R			0	1		
→ 4440	FREE TEXT			M	AN	0-70			CLOTHES	
SEGMENT	DESCRIPTION									

MEA	MEASUREMENTS (sub segment of GID)									
INDICATOR	MIN	MAX	NOTE	EXAMPLE						
M	1	99	MEASUREMENTS	MEA+WT+N+KGM:18 MEA+WT+G+KGM:18 MEA+VOL++DMQ:1.68						
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX	VALUE	NOTE
6311	MEASUREMENT APPLICATION QUALIFIER			M	AN	0-3			WT	WT = Weight VOL = Volume
C502	MEASUREMENT DETAILS			R			0	1		
→ 6313	MEASUREMENT DIMENSION, CODED			R	AN	0-3			N	N = Actual net weight G = Gross weight
C174	VALUE/RANGE			R			0	1		
→ 6411	MEASURE UNIT QUALIFIER			M	AN	0-3			KGM	KGM = Kilo DMQ =Cubic meter
→ 6314	MEASUREMENT VALUE			R	N	0-18			3714	
SEGMENT	DESCRIPTION									
PCI	PACKAGE IDENTIFICATION (sub segment of GID)									
INDICATOR	MIN	MAX	NOTE	EXAMPLE						
M	1	9	PACKAGE IDENTIFICATION	PCI+24+370712270010419587:370712270010419594:370712270010419648:370712270010419655						
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX	VALUE	NOTE
4233	MARKING INSTRUCTIONS, CODED			R	AN	0-3			24	24 = Shipper assigned
C21001	MARKS & LABELS			R			0	1		
→ 7102	SHIPPING MARKS			M	AN	0-35			370712270010419587	
C21002	MARKS & LABELS			R			0	1		
→ 7102	SHIPPING MARKS			M	AN	0-35			370712270010419594	
C21003	MARKS & LABELS			R			0	1		
→ 7102	SHIPPING MARKS			M	AN	0-35			370712270010419648	
C21004	MARKS & LABELS			R			0	1		
→ 7102	SHIPPING MARKS			M	AN	0-35			370712270010419655	

### 1.3.18. UNT - MESSAGE TRAILER

SEGMENT	DESCRIPTION							
UNT	MESSAGE TRAILER							
INDICATOR	MIN	MAX	NOTE	EXAMPLE				
M	1	1	MESSAGE TRAILER	UNT+25+1'				
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX
0074	NUMBER OF SEGMENTS IN A MESSAGE			M	N	0-6		19
0062	MESSAGE REFERENCE NUMBER			M	AN	0-14		1

### 1.3.19. UNZ – INTERCHANGE TRAILER

SEGMENT	DESCRIPTION							
UNZ	INTERCHANGE TRAILER							
INDICATOR	MIN	MAX	NOTE	EXAMPLE				
M	1	1	To end and check the completeness of an interchange	UNZ+1+2810921'				
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX
0036	INTERCHANGE CONTROL COUNT			M	N	0-6		1
0020	INTERCHANGE CONTROL REFERENCE			M	AN	0-14		2810921

"+" separates segment sections | ":" separates elements within a segment section

## 1.4. Example message

Below we have presented an example file. Lines and segment can also be found in the walkthrough, description and definition of the different segments in chapter 1.3.

```
UNA:+.?'
UNB+UNOC:3+SENDER:91+980953343:91+160930:1248+2810921'
UNH+1+IFTMIN:S:93A:UN:NOCC16'
BGM+700+70705056093437491+9'
DTM+137:20161230:102'
DTM+10:20161230:102'
DTM+2:20161230:102'
TSR+11+AD++DG'
FTX+SIC+++Delivery instructions'
CNT+7:18:KGM'
CNT+11:4:PCE'
CNT+15:1.68:DMQ'
TOD+6++DDP'
LOC+5+0:89::Branas'
RFF+CU:0082118656'
RFF+CR:0006583154'
RFF+AAM:70705056093437491'
RFF+CO:70705056093437491'
CPI+1++P'
NAD+CN+++TEST+RRGATA 1+Skedsmokorset++2019+NO'
CTA+IC+:Firstname Lastname'
COM+98765432:TE'
```

NAD+DP+++TEST+RRGATA 1+Skedsmokorset++2019+NO'  
CTA+IC+:Firstname Lastname'  
COM+98765432:TE'  
NAD+CZ+99::87++Receiver AS+receiver street 1+Gardermoen++2060+NO'  
CTA+IC+:Firstname Lastname'  
COM+23456789:TE'  
NAD+PW+::87++Receiver AS+receiver street 1+Gardermoen++2060+NO'  
CTA+IC+:Firstname Lastname'  
COM+23456789:TE'  
GID+1+4:PK'  
FTX+AAA+++CLOTHES'  
MEA+WT+N+KGM:18'  
MEA+WT+G+KGM:18'  
MEA+VOL++DMQ:1.68'  
PCI+24+370712270010419587:370712270010419594:370712270010419648:370712270010419655'  
UNT+36+1'  
UNZ+1+2810921'

## 2. EDIFACT IFTSTA D96A Message advise

### 2.1. Introduction

This document provides a description of the ColliCare Logistics standard EDIFACT IFTSTA D96A message to be used in Electronic Data Interchange (EDI) between Collicare Logistics and other trading partners involved in administration, commerce and transport. This is one of the preferred defined standards for status exchange of both domestic and international transport shipments

The Transport Status message allows for the exchange of information regarding the status of the physical movement of consignments or goods at any point (in time or place) within the full transport chain. The message may be sent as the result of a request or requests for information regarding a consignment or consignments, on a scheduled basis at predetermined times, on the occurrence of a selected event or events, or on the occurrence of an exceptional event as agreed by the partners involved.

### 2.2. Requirements

The message will be provided from booking party to agreed destination, most likely an FTP account (SFTP is also supported). The message should contain a minimum of information needed to perform the transportation within the agreed service level without need of manual adding information. Sender of the message is responsible for making sure needed information is provided in the message.

### 2.3. Description

The following contains a description of the EDIFACT IFTSTA D96A segments. The detail includes EDIFACT segment descriptions with remarks pertaining to the specific requirements for the interchange with the transporter.

The description in this integration guide will walk you through a basic ColliCare Logistics IFTSTA D96A standard. If there are elements not covered in the guide that is applicable and necessary for the integration please contact nominated contact person and EDI contact at ColliCare Logistics in order to sort the challenge at hand.

### 2.3.1. Detailed Segment Description

The following is a description of the Groups, Segments and Data Elements as they are in use within the IFTSTA Message.

**Explanation of the codes:**

- \* **M** Mandatory: mandatory according to the International Edifact Standard
- \* **R** Required: segments required by ColliCare demands in both domestic and international shipments
- \* **RI** International: segments required by ColliCare in international shipments
- \* **C** Conditional: always clarified by 'Note'
- \* **O** Optional
- \* **N** Not Used

### 2.3.2. UNA - SERVICE STRING ADVICE

SEGMENT	DESCRIPTION									
INDICATOR	MIN	MAX	NOTE			EXAMPLE				
<b>M</b>	<b>1</b>	<b>1</b>	SERVICE STRING ADVICE – DELEMITERS					UNA:+.?'		
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX	VALUE	NOTE
UNA1	Component data element separator			M	AN	0-1			:	Next available number
UNA2	Data element separator			M	AN	0-1			+	
UNA3	Decimal notation			M	AN	0-1			.	
UNA4	Release indicator			M	AN	0-1			?	
UNA5	Reserved for future use			M	AN	0-1				[space]
UNA6	Segment terminator			M	AN	0-1			'	

### 2.3.3. UNB - INTERCHANGE HEADER

SEGMENT	DESCRIPTION									
INDICATOR	MIN	MAX	NOTE			EXAMPLE				
<b>M</b>	<b>1</b>	<b>1</b>	INTERCHANGE HEADER			UNB+UNOA:2+980953343+Receiver+170425:0825+9107331'				

COMPONENT	DESCRIPTION	INDICATOR	TYPE	LEN	MIN	MAX	VALUE	NOTE
S001	SYNTAX IDENTIFIER	M						
⇒ 0001	Syntax Identifier	M	AN	0-4			UNOA	
⇒ 0002	Syntax Version number	M	AN	0-1			2	
S002	INTERCHANGE SENDER	M						
⇒ 0004	Sender identification	M	AN	0-35			980953343	Sender EDI-ID (Org. No)
S003	INTERCHANGE RECIPIENT	M						
⇒ 0010	Recipient identification	M	AN	0-35			Receiver	Receiver EDI-ID/CC Org.No
S004	DATETIME OF PREPARATION	M						
⇒ 0017	Date of preparation	M	AN	0-6			170425	YYMMDD
⇒ 0019	Time of preparation	M	AN	0-4			0825	HHmm
0020	INTERCHANGE CONTROL REFERENCE	M	AN	0-14			9107331	Unique ref for interchange

### 2.3.4. UNH - MESSAGE HEADER

SEGMENT	DESCRIPTION	EXAMPLE							
INDICATOR	MIN	MAX	NOTE						
M	1	1	MESSAGE HEADER	UNH+2854519+IFTSTA:D:96A:UN:DEFO03'					
COMPONENT	DESCRIPTION	INDICATOR	TYPE	LEN	MIN	MAX	VALUE	NOTE	
0062	MESSAGE REFERENCE NUMBER	M	AN	0-14			2854519	Unique reference for the message	
S009	MESSAGE IDENTIFIER	M			1	1			
⇒ 0065	MESSAGE TYPE IDENTIFIER	M	AN	0-6			IFTSTA		
⇒ 0052	VERSION NUMBER OF A MESSAGE TYPE	M	AN	0-3			D		
⇒ 0054	MESSAGE TYPE RELEASE NUMBER	M	AN	0-3			96A		
⇒ 0051	CONTROLLING AGENCY	M	AN	0-2			UN		
⇒ 0057	ASSOCIATION ASSIGNED CODE	C	AN	0-6			DEFO03		

### 2.3.5. BGM – BEGINNING OF MESSAGE

SEGMENT	DESCRIPTION
BGM	BEGINNING OF MESSAGE

INDICATOR	MIN	MAX	NOTE	EXAMPLE						
M	1	1	The unique identification of the message	BGM+F01+73500096400049311'						
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX	VALUE	NOTE
C002	DOCUMENT/MESSAGE NAME	R				0	1			
→ 1001	DOCUMENT/MESSAGE NAME, CODED	R	AN	0-3				F01		
1004	DOCUMENT/MESSAGE NUMBER	R	AN	0-35				73500096400049311	File reference number	

### 2.3.6. DTM - DATE/TIME/PERIOD

SEGMENT	DESCRIPTION									
DTM	DATE/TIME/PERIOD									
INDICATOR	MIN	MAX	NOTE	EXAMPLE						
R	3	10	DATE AND TIME	DTM+137:170425:102'						
COMPONENT	DESCRIPTION		INDICATOR	TYPE	LEN	MIN	MAX	VALUE	NOTE	
C507	DATE/TIME/PERIOD		M			1	1			
→ 2005	DATE/TIME/PERIOD QUALIFIER		M	AN	1-3			137	137 = Message date/time 334 = Status change date/time	
→ 2380	DATE/TIME/PERIOD		M	AN	14			170425	Date value	
→ 2379	DATE/TIME/PERIOD FORMAT QUALIFIER		M	AN	3			102	204 = format YYYYMMDDHHMMSS 102 = format YYYYMMDD 203 = format CCYYMMDDHHMM	

### 2.3.7. CNI – CONSIGNMENT INFORMATION

SEGMENT	DESCRIPTION									
CNI	CONSIGNMENT INFORMATION									
INDICATOR	MIN	MAX	NOTE	EXAMPLE						
M	1	1	A segment to identify a consignment for which status details are given	CNI+1+73500096400049311'						
COMPONENT	DESCRIPTION		INDICATOR	TYPE	LEN	MIN	MAX	VALUE	NOTE	
1490	CONSOLIDATION ITEM NUMBER		R	N	0-4			1		

C503	DOCUMENT/MESSAGE DETAILS	M			1	1		
→ 1004	DOCUMENT/MESSAGE NAME, CODED	R	AN	0-35			73500096400049311	

### 2.3.8. STS – STATUS

SEGMENT	DESCRIPTION								
INDICATOR	MIN	MAX	NOTE				EXAMPLE		
M	1	1	A segment specifying the status relating to a consignment				STS++48'		
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX	
C601	STATUS TYPE			M			1	1	
C555	STATUS EVENT			M			1	1	
→ 9011	Status event, coded			M	AN	0-3		48	1 = Arrived at final terminal 13 = Collected from sender 21 = Delivered 27 = Collected from terminal 45 = Arrived at terminal 48 = Loaded on linehaul 56 = Not delivered 113 = Loaded on distribution truck ZEM = EDI message received

### 2.3.9. NAD – NAME AND ADDRESS

SEGMENT	DESCRIPTION							
INDICATOR	MIN	MAX	NOTE				EXAMPLE	
NAD	NAME AND ADDRESS							
M	1	1	A segment identifying a party to the consignment such as shipper or consignee.				NAD+AP+++XXX'	
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX

3035	PARTY QUALIFIER	M			1	1		
C080	PARTY NAME	M			1	1		
→ 3036	Party name	M	AN	0-35			XXX	

### 2.3.10. GID – GOODS ITEM DETAILS

SEGMENT	DESCRIPTION								
GID	GOODS ITEM DETAILS								
INDICATOR	MIN	MAX	NOTE			EXAMPLE			
M	1	1	A segment identifying a goods item.				GID+1+3'		
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX	VALUE
1496	GOODS ITEM NUMBER			M	N	0-5			1
C213	NUMBER AND TYPE OF PACKAGES			M			1	1	
→ 7224	Number of packages			M	N	0-8			3

### 2.3.11. PCI – PACKAGE IDENTIFICATION

SEGMENT	DESCRIPTION								
PCI	PACKAGE IDENTIFICATION								
INDICATOR	MIN	MAX	NOTE			EXAMPLE			
M	1	999	A segment to specify individual packages (transportable units) relating to the consignment status				PCI+18+373500096400223408:373500096400223415:373500096400223422'		
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX	VALUE
4233	MARKING INSTRUCTIONS, CODED			M	N	0-3			18
C210	MARKS & LABELS			M			1	1	
→ 7102	Shipping marks			M	AN	0-35			373500096400223408
→ 7102	Shipping marks			M	AN	0-35			373500096400223415
→ 7102	Shipping marks			M	AN	0-35			373500096400223422

### 2.3.12. UNT – MESSAGE TRAILER

SEGMENT	DESCRIPTION							
UNT	MESSAGE TRAILER							
INDICATOR	MIN	MAX	NOTE	EXAMPLE				
M	1	1	A service segment ending a message, giving the total number of segments in the message and the control reference number of the message	UNT+10+2854519'				
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX
0074	NUMBER OF SEGMENTS IN A MESSAGE			M	N	0-6		10
0062	MESSAGE REFERENCE NUMBER			M	AN	0-14		2854519

### 2.3.13. UNZ – INTERCHANGE TRAILER

SEGMENT	DESCRIPTION							
UNZ	INTERCHANGE TRAILER							
INDICATOR	MIN	MAX	NOTE	EXAMPLE				
M	1	1	To end and check the completeness of an interchange	UNZ+1+9107331'				
COMPONENT	DESCRIPTION			INDICATOR	TYPE	LEN	MIN	MAX
0036	INTERCHANGE CONTROL COUNT			M	N	0-6		1
0020	INTERCHANGE CONTROL REFERENCE			M	AN	0-14		9107331
								Number of messages in an interchange

## 2.4.Example message

Below we have presented an example file. Lines and segment can also be found in the walkthrough, description and definition of the different segments in chapter 2.3.

```
UNA:+.?'
UNB+UNOA:2+CCDNO+CONSIGNOR+170425:1046+9110430'
UNH+2854519+IFTSTA:D:96A:UN:DEFO03'
BGM+F01+73500096400049311'
DTM+137:170425:102'
CNI+1+73500096400049311'
STS++21'
DTM+334:201704251046:203'
NAD+AP+++borge'
GID+1+1'
PCI+18+373500096400223637'
UNT+10+2854519'
UNZ+1+9110430'
```

### 3. Label

The label contains of different parts of information

#### 3.1. Part 1: Fra/From

Consignor/shipper address

Fra/From  
Avsender navn  
avsender gate  
postnummer Poststed  
Norway  
Order no.  
0

#### 3.2. Part 2: Til/To

Consignee/delivery party address

Til/To  
**Mottaker navn**  
**mottaker gate**  
**postnummer Poststed**  
Telefon:   
Kontakt/Contact:  
mottaker ref

#### 3.3. Part 3: Consignment information

Information regarding carrier, service, reference, instructions and weight. It might also contain description of which package the label represent (1/2, 2/2 etc.)

Transportør	
ColliCare Logistics AS	Kalk: 1/2
Aversender Ref	
avsender ref	
Tjeneste:	Vekt: 0,0
In Night	
Leveringsinstruks	
leveringsinstruksjoner	

### 3.4. Part 4: Barcodes – consignment number and package id (SSCC)

Information regarding SSCC and consignment number is collected from [www.gs1.no](http://www.gs1.no)

#### 3.4.1. Consignment number

Consignment number is a unique reference number identifying the individual shipment. Same as SSCC code, consignment number contains also information of origin country, issuer and a serial number

#### Consignment number setup

Consignment number consist of 17 digits in addition to AI (see below)

(401) is the application identifier

(AI) is the identifier of the type of information in the number. AI (401) identify that this is a consignment number

70 is the country code (prefix) and defines the national GS1 organization, in this case Norway. The country code could for some countries also be 3 digits.

For complete overview see [www.gs1.no](http://www.gs1.no)

L is GS1 supplier number defined and nominated by the national GS1 organization. The supplier number consist of 4, 5 or 7 digits. All specified in the nominated information from the national GS1 organization.

S is a serial number nominated by responsible for the shipment. This serial number consist of 10, 9 or 7 digits, dependent of the number of digits in the supplier number. In total the combination of the serial number and the supplier number should be 14 digits.

K is the control digit – found by calculation

	AI	Country (Prefix)	Supplier number. + Serial number (Total 14 digits)	Control digit
4-digit lev	(401)	70	LLLLSSSSSSSSSS	K
5-digit lev	(401)	70	LLLLLSSSSSSSSS	K
7-digit lev	(401)	70	LLLLLLSSSSSSS	K

#### **3.4.1.1. Package Id (SSCC)**

SSCC - serial shipping container code

GS1 SSCC code also called the package identifier. This number is unique on world basis and provides information about country, provider (shipper or carrier) and a serial number

**GS1 SSCC number setup**

The number consist of 18 digits in addition to AI – see table below

(00) is AI (application identifier) that indicates what type of information that is presented in the number/barcode.

3 is a variable indicator between 0 and 9. In Norway 3 is normally used.

70 is the country code (prefix) and defines the national GS1 organization, in this case Norway.

	AI	Indicator	Country	Supplier number +Serial number	Control digit
			(Prefix)		(Total 14 digit)
4-digit lev	(00)	3	70	LLLLSSSSSSSSSS	K
5-digit lev	(00)	3	70	LLLLLSSSSSSSSSS	K
7-digit lev	(00)	3	70	LLLLLLLSSSSSSSS	K

### 3.4.2. Example label

From  
Avsender navn  
avsender gate  
postnummer Poststed  
Norway  
Order no  
0

To/To

**Mottaker navn****mottaker gate  
postnummer Poststed**Tel/Phone:  
99999999Kontakt/Contact:  
mottaker refTransportør  
ColliCare Logistics AS

Koll. 1/2

Avsenders Ref

avsender ref

Vekt: 0,0

Tjeneste:

Stykksgods

Leveringsstruktu

leveringalinstruksjoner

Fraktbrev / FreightBill:



(401)70712270056360231

Koll-ID / Package-ID:



(00)370712270010419587